


Ref	Colour	Support	Thickness Before/After Coating	Adhesion	Glue g/m ²	Tensile Strength	Elongation at Break %	Width mm	Length m
460	White Yellow	CREPE PAPER	0,075 mm 0,125 mm	400 CN/cm	30 (± 1g/m ²)	70 °C Between 30 and 60 min	10	12-19-25 100-500 & From 1000 to 6000	40-19-66 100-500 & From 1000 to 2000
470	White Yellow	CREPE PAPER	0,080 mm 0,135 mm	400 CN/cm	33 (± 1g/m ²)	90 °C Between 30 and 60 min	10	12-19-25 100-500 & From 1000 to 6000	40-19-66 100-500 & From 1000 to 2000



Durée de vie : 2 ans avant usage

Teck & Cohesion : RUBASIF 460/470 sont enduit de colle à base de caoutchouc naturel, de papier de couleur jaune ou blanc, sont des adhésifs de masquage dont la qualité remarquable se joint à une résistance de température respective de 70°C et 90°C entre 30 et 60 minutes.

Doté d'une facilité de positionnement, **Rubasif 470** joue le rôle d'un isolant parfait pour toute manœuvre délicate.

Par ailleurs, coupé en des dimensions maniables, pratiques et exploitables, pour tôlerie, rebobinage de moteurs...etc., ce ruban ne perd pas son adhésivité et ne laisse aucun résidu sur les surfaces masquées aussi bien à chaud qu'à froid.

Cible : Travaux de Peinture, Matériaux de Construction et du bricolage, Bâtiments & Travaux Publics, Quincaillerie, Chimie & Parachimie, Bois, Construction et Menuiserie métallique, Tôlerie & Chaudronnerie, Papier, Imprimerie, Automobile, Ouvrages métalliques, Tuyauterie, Robinetterie, Climatisation, Sanitaire, Outillage et Machine, Commerce de gros, Meubles, Fonderie, Chantiers, Pièces Détachées, Pneumatique, Accessoires & Fourniture électrique, Céramique, Vernissage et Autres industries manufacturières.

Lifespan : 2 years before used

Teak & Cohesion : yellow or white, **Rubasif 460** and **470** are masking adhesives which are coated with natural rubber glue. Their quality joins a remarkable temperature resistance which reaches 70°C (460) and 90°C (470) respectively between 30 and 60 minutes.

Easy to locate, **Rubasif 470** is a perfect isolent for any delicate operation.

Besides, cut in practical, handy and exploitable dimensions, for sheet metal workshop, rebobinage of engines.. etc., this Tape does not lose its adhesion and does not leave any residue on surfaces masked in warm and cold.

Target : Painting works, Building materials and do-it-yourself, Buildings and Civil engineering, Hardware, Chemistry and Parachimie, Wood, Construction and metal Joiner's workshop, Sheet metal workshop and Boilermaking, Paper, Printing office, Motorcar, metal Works, Piping, Faucet factory, Air conditioning, Sanitary facility, Equipment and Machine, Wholesale business, Furniture, Foundry, Construction sites, Replacement, pneumatic, secondary Parts and Electric, ceramic Supply, Varnishing, Sterilization and the Other manufacturing industries.



Ref.	Colour	Support	Thickness Before/ After coating	Adhesion	Glue g/m ²	Tensile Strength	Elongation at Break %	Width mm	Length m	Unwinding	Packing
240	Transparent Havane White	PVC	33 my 0,054 mm	250 CN/cm	18 (±1g/m ²)	4N/cm	70	12-19-25 38-50-75 100-150- 300-1350- 1500	40-50-66 100-500 & From 1000 to 6000	Noisy	Weight ≤ 25Kg Flap ≤ 1m
241	Transparent Havane White	PVC	33 my 0,060 mm	250 CN/cm	22 (±1g/m ²)	5N/cm	70	12-19-25 38-50-75 100-150- 300-1350- 1500	40-50-66 100-500 & From 1000 to 6000	Noisy	Weight ≤ 30Kg Flap ≤ 1m
530	Transparent Havane White	BOPP	25 my 0,038 mm	450 CN/cm	18 (±1g/m ²)	4N/cm	135	12-19-25 38-50-75 100-150- 300-1350- 1500	40-50-66 100-500 & From 1000 to 6000	Noisy	Weight ≤ 8Kg Flap ≤ 50cm
531	Transparent Havane White	BOPP	25 my 0,040 mm	450 CN/cm	22 (±1g/m ²)	5N/cm	135	12-19-25 38-50-75 100-150- 300-1350- 1500	40-50-66 100-500 & From 1000 to 6000	Noisy	Weight ≤ 10Kg Flap ≤ 50cm
540	Transparent Havane White	BOPP	28 my 0,040 mm	450 CN/cm	18 (±1g/m ²)	4N/cm	150	12-19-25 38-50-75 100-150- 300-1350- 1500	40-50-66 100-500 & From 1000 to 6000	Noisy	Weight ≤ 15Kg Flap ≤ 70cm
541	Transparent Havane White	BOPP	28 my 0,042 mm	450 CN/cm	22 (±1g/m ²)	5N/cm	150	12-19-25 38-50-75 100-150- 300-1350- 1500	40-50-66 100-500 & From 1000 to 6000	Noisy	Weight ≤ 20Kg Flap ≤ 70cm
550	Transparent Havane White	BOPP	32 my 0,045 mm	450 CN/cm	18 (±1g/m ²)	4N/cm	150	12-19-25 38-50-75 100-150- 300-1350- 1500	40-50-66 100-500 & From 1000 to 6000	Noisy	Weight ≤ 20Kg Flap ≤ 1m
551	Transparent Havane White	BOPP	32 my 0,047 mm	450 CN/cm	22 (±1g/m ²)	5N/cm	150	12-19-25 38-50-75 100-150- 300-1350- 1500	40-50-66 100-500 & From 1000 to 6000	Noisy	Weight ≤ 15Kg Flap ≤ 1m

Durée de vie : 2 ans avant usage

Teck & Cohesion : les rubans adhésifs à pression Rubasif sont fabriqués par une colle de mélange homogène de teck, pour un collage instantané, et de cohésion, pour une parfaite rétention du carton quel que soit la durée du stockage. L'endurance de Rubasif supporte les différentes températures allant de -30°C à 65°C.

Pratique, Maniable et facilement exploitable : Pour un emballage durable, fiable et esthétique, la gamme est disponible en plusieurs dimensions pour optimiser son utilisation. A la machine, au dévidoir ou à la main, Rubasif facilite les tâches de fermeture de vos emballages.

Cible : Industrie de Peinture, Bricolage, Bâtiments & Travaux Publics, Quincaillerie, Chimie & Parachimie, Energie, Bois, Emballage, Agroalimentaire, Construction et Menuiserie métallique, Cosmétique, Agriculture, Papier, Imprimerie, Industrie de verre, Automobile, Produits pharmaceutiques et médicaments, Ouvrages métalliques, Tuyauterie, Robinetterie, Climatisation, Détergence, Sanitaire, Ménages, Cartons Déménagement, Outillage et Machine, Commerce de gros, Confection & Bonneterie, Filature, Cuir, Pêche, Meubles et Matelasserie, Transport, Pièces Détachées, Pesticides & Insecticides, Pneumatique, Accessoires & Fourniture électrique, Céramique, Autres.

Lifespan : 2 years before used

Teak & Cohesion : The adhesives tapes under pressure Rubasif are adhesives that are for instant stick, thanks to the homogeneous mixture of teak and Cohesion. Rubasif packaging is distinguished by its perfect retention of carton whatever the stock duration and can with stand different temperature degrees between -30°C and 65°C.

Practical, Handy and easily exploitable : For a durable packing, reliable and attractive, this range is available in several dimensions to optimize its use. With the reel or the hand Rubasif facilitates the packing tasks.

Target : painting industry, Do-it-yourself, Building & Civil engineering, Hardware, Energy, wood, Packaging, Farm- Produce industry, Construction and metal Joiner's workshop, Cosmetic, Agriculture, Paper, Printing office, Faucet factory, Air conditioning, Detergence, Sanitary, Glass industry, Motorcar, Pharmaceutical products and drugs, Metal works, Paping, Faucet factory, Air conditioning, Detergence, Housekeeping, Boxes, Move, Equipment & machine, Wholesale business, Preparation & Hosiery shop, Spinning mill, Leather, fishing, FURNITURE 1 Matelasserie, Transport, Replacement Part, Pesticidal and Insecticides, Pneumatic, Accessoires and Supply Electric, Ceramic, other.



Destiné aux tâches quotidiennes de bureau, collage, fixation, assemblage, petit emballage, cadeaux.....etc., ce ruban est également fait pour l'écolier dans des dimensions parfaitement compatibles aux petites manœuvres de tous les jours.



Intended for the daily tasks, sticking, fixation, joining, small packaging, presents .. etc., this adhesive can also be used by student in a compatible dimensions for the small daily operations. Attractive appearance, highly adhesive, handy for any operation of the office and easy to arrange

Ref	Colour	Support	Thickness Before/After coating	Adhesion	Glue g/m ²	Tensile Strength	Elongation at break %	Width mm	Length m	Unwinding
500	transparent	BOPP	28my 0,040mm	250 CN/cm	18 (± 1g/m ²)	4N/cm	70	12 15 19	10 20 33	Noisy
800	Invisible	ACETATE	33my 0,040mm	250 CN/cm	18 (± 1g/m ²)	4N/cm	70	12 15 19	10 20 33	Noisy



Dévidoir 75mm - 50mm



Apparence esthétique hautement adhésif, maniable pour toute manœuvre de bureau et facile à ranger

Double Face



Cible
Administration
Architecture
Publicité
Bureautique
Imprimerie
Papeterie
Librairie
Informatique
Autres



Target
Administration
Architecture
Advertisement
Office automation
Printing office
Paper mill
Bookshop
Data processing
Other



Attractive appearance, highly adhesive, handy for any operation of the office and easy to arrange

Ref.	Colour	Support	Thickness Before/ After coating	Adhesion	Glue g/m ²	Tensile Strength	Elongation at Break %	Width mm	Length m	Unwinding	Packing
340		PVC	33 my 0,054 mm	250 CN/cm	18 (±1g/m ²)	4N/cm	70	12-19-25 38-50-75 100-150- 300-1350- 1500	40-50-66 100-500 & From 1000 to 6000	Noisy	Weight ≤ 25Kg Flap ≤ 1m
341		PVC	33 my 0,060 mm	250 CN/cm	22 (±1g/m ²)	5N/cm	70	12-19-25 38-50-75 100-150- 300-1350- 1500	40-50-66 100-500 & From 1000 to 6000	Noisy	Weight ≤ 25Kg Flap ≤ 1m
630		BOPP	25 my 0,038 mm	450 CN/cm	18 (±1g/m ²)	4N/cm	135	12-19-25 38-50-75 100-150- 300-1350- 1500	40-50-66 100-500 & From 1000 to 6000	Noisy	Weight ≤ 8Kg Flap ≤ 50cm
631		BOPP	25 my 0,040 mm	450 CN/cm	22 (±1g/m ²)	5N/cm	135	12-19-25 38-50-75 100-150- 300-1350- 1500	40-50-66 100-500 & From 1000 to 6000	Noisy	Weight ≤ 8Kg Flap ≤ 50cm
640		BOPP	28 my 0,040 mm	450 CN/cm	18 (±1g/m ²)	4N/cm	150	12-19-25 38-50-75 100-150- 300-1350- 1500	40-50-66 100-500 & From 1000 to 6000	Noisy	Weight ≤ 15Kg Flap ≤ 70cm
641		BOPP	28 my 0,042 mm	450 CN/cm	22 (±1g/m ²)	5N/cm	150	12-19-25 38-50-75 100-150- 300-1350- 1500	40-50-66 100-500 & From 1000 to 6000	Noisy	Weight ≤ 15Kg Flap ≤ 70cm
650		BOPP	32 my 0,045 mm	450 CN/cm	18 (±1g/m ²)	4N/cm	150	12-19-25 38-50-75 100-150- 300-1350- 1500	40-50-66 100-500 & From 1000 to 6000	Noisy	Weight ≤ 20Kg Flap ≤ 1m
651		BOPP	32 my 0,047 mm	450 CN/cm	22 (±1g/m ²)	5N/cm	150	12-19-25 38-50-75 100-150- 300-1350- 1500	40-50-66 100-500 & From 1000 to 6000	Noisy	Weight ≤ 20Kg Flap ≤ 1m



Durée de vie : 2 ans avant usage

Teck & Cohésion : Après emballage, Rubasif couleur marque une parfaite fermeture du carton quel que soit la durée de stockage grâce à sa colle de couleur fabriqué dans la masse par un mélange homogène entre le collage instantané et la durée de rétention dans le temps

Pratique, Maniable et facilement exploitable : Pour un emballage durable, fiable et esthétique, la gamme est disponible en plusieurs dimensions pour optimiser son utilisation. A la machine, au dévidoir ou à la main, Rubasif facilite les tâches de fermeture de vos emballage.

Cible : Industrie de Peinture, Bricolage, Bâtiments & Travaux Publics, Quincaillerie, Chimie & Parachimie, Energie, Bois, Emballage, Agroalimentaire, Construction et Menuiserie métallique, Cosmétique, Agriculture, Papier, Imprimerie, Industrie de verre, Automobile, Produits pharmaceutiques et médicaments, Ouvrages métalliques, Tuyauterie, Robinetterie, Climatisation, Détergence, Sanitaire, Ménages, Cartons Déménagement, Outillage et Machine, Commerce de gros, Confection & Bonneterie, Filature, Cuir, Pêche, Meubles et Matelasserie, Transport, Pièces Détachées, Pesticides & Insecticides, Pneumatique, Accessoires & Fourniture électrique, Céramique, Autres.



Lifespan: 2 years before used

Teak & Cohesion : After packing, Rubasif Colour allows a perfect boxes closing whatever the stock duration thanks to its colour glue which made within the mass by a homogeneous mixture between the instantaneous stick and the detention lenght for a long time.

Practical, Handy and easily exploitable: For a durable packing, reliable and attractive, this range is available in several dimensions to optimize its use. With reel or hand Rubasif colour facilitates the packing tasks.

Target : Painting Industry, Do-it-yourself, Buildings & Civil engineerings, Hardware, Chemistry and Parachimie, Energy, Wood, Packaging, Farm-produce industry, Construction and metal Joiner's workshop, Cosmetic, Agriculture, Paper, Printing office, Glass industry, Motorcar, Pharmaceutical products and drugs, metal Works, Piping, Faucet factory, Air conditioning, Detergence, Sanitary, Housekeepings, Boxes, Move, Equipment & Machine, Wholesale business, Preparation & Hosiery shop, Spinning mill, Leather, fishing, Furniture & Matelasserie, Transport, Replacement Parts, Pesticidal and Insecticides, pneumatic, Accessories and Supply Electric, ceramic, other.